


| | |
|-----------------------------------|----------------------|
| SIZE | -0076 |
| LENGTH | 1323 mm |
| ROD THREAD | 1 1/4-12 UNF |
| BORE DIA | 95 mm |
| ROD DIA | 35 mm |
| STROKE | 375 mm |
| WEIGHT | 26.853 Kg |
| ANNULUS AREA (PULLING/RETRACTING) | 6126 mm ² |
| OIL DISPLACEMENT | 4.59 ltrs |
| PULL FORCE @ 150 BAR | 9367 Kg (91892 N) |
| PULL FORCE @ 250 BAR | 15612 Kg (153153 N) |
| MAX PULL FORCE @ 350 BAR (RELIEF) | 21857 Kg (214414 N) |

NOTE:

1. CUSTOM VARIATIONS AND ROD THREADS ARE AVAIBALE ON REQUEST
2. ATTACHMENT METHOD CUSTOMISABLE ON REQUEST




SAME MOUNTING
DETAIL BOTH ENDS


TOP SLOT SHOULD BE
LARGER THAN ROD

BRACKET HOLE SHOULD
MATCH RETAINER

BRACKET PLATE THICKNESS
SHOULD BE EQUAL TO
RETAINER GAP

MOUNTING BRACKET NOT SUPPLIED
ILLUSTRATED TO SHOW ASSEMBLY



| | | | |
|---|---|--|--------------------------|
|  | Title ALUMINIUM DOUBLE PULL TRAVELLER CYLINDER | | Revision 1 |
| | Drawing No. TDA-0076-S0375-NP-71 | | Date Drawn 03/11/2021 |
| | Tel: +44 (0)1202 596630 www.oms.ltd | | By AL |

© Copyright. All rights to this drawing and design are the sole property of OMS Ltd. This drawing must not be copied, communicated or loaned to any third party without the written consent of OMS Ltd.